## **PGA5** Antibody

Catalog No: #37105



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$			
	escr	TO	tion
$\boldsymbol{L}$	COUL	ıv	เเบเ

Product Name	PGA5 Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antigen affinity purification.	
Applications	WB IHC	
Species Reactivity	Hu	
Specificity	The antibody detects endogenous levels of total PGA5 protein.	
Immunogen Type	Peptide	
Immunogen Description	Synthetic peptide corresponding to a region derived from internal residues of human Pepsinogen 5, group I	
	(pepsinogen A)	
Target Name	PGA5	
Other Names	PGA3; PGA4	
Accession No.	Swiss-Prot#: P0DJD9NCBI Gene ID: 5222Gene Accssion: NP_055039	
Uniprot	P0DJD9	
GeneID	5222;	
SDS-PAGE MW	42kd	
Concentration	2.1mg/ml	
Formulation	Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	
Storage	Store at -20°C	

## Application Details

Western blotting: 1:500-1:2000
Immunohistochemistry: 1:25-1:100

## **Images**




Gel: 10%SDS-PAGE

Lysates (from left to right): Human liver cancer tissue

Amount of lysate: 60ug per lane Primary antibody: 1/1000 dilution Secondary antibody dilution: 1/8000

Exposure time: 10 minutes



Immunohistochemical analysis of paraffin-embedded Human gastric cancer tissue using #37105 at dilution 1/60.

## Background

The genes coding for human pepsinogen (PGA3, PGA4, and PGA5) were assigned to chromosome region 11q13 by in situ hybridization. Previously we localized the PGA gene complex to a centromeric region of chromosome 11 (p11----q13) by Southern blot analysis of mouse-human somatic cell hybrids.? Shows particularly broad specificity; although bonds involving phenylalanine and leucine are preferred, many others are also cleaved to some extent.

Note: This product is for in vitro research use only