MAGEA1 antibody

Catalog No: #38661

Package Size: #38661-1 50ul #38661-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


_				
\Box	00	ori	nti	On
יע	こう	UH	บแ	on

Product Name	MAGEA1 antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antibodies were purified by affinity purification using immunogen.	
Applications	WB,IHC,IF	
Species Reactivity	Human	
Specificity	The antibody detects endogenous level of total MAGEA1 protein.	
Immunogen Type	Recombinant Protein	
Immunogen Description	Recombinant protein of human MAGEA1.	
Target Name	MAGEA1	
Other Names	CT1.1; MAGE1;	
Accession No.	Swiss-Prot#: P43355NCBI Gene ID: 4100	
Uniprot	P43355	
GeneID	4100;	
SDS-PAGE MW	34kd	
Concentration	1.0mg/ml	
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%	
	sodium azide and 50% glycerol.	
Storage	Store at -20°C	


Application Details

WB□1:500 - 1:2000IHC□1:50 - 1:200IF□1:50 - 1:100


Images




Western blot analysis of extracts of 22Rv1 cells, using MAGEA1 at 1:1000 dilution.




Immunofluorescence analysis of HeLa cells using MAGEA1 . Blue: DAPI for nuclear staining.



Immunohistochemistry of paraffin-embedded human breast cancer using MAGEA1 at dilution of 1:200 (40x lens).



Immunohistochemistry of paraffin-embedded human liver cancer using MAGEA1 at dilution of 1:200 (40x lens).



Immunohistochemistry of paraffin-embedded human stomach cancer using MAGEA1 at dilution of 1:200 (40x lens).

Background

This gene is a member of the MAGEA gene family. The members of this family encode proteins with 50 to 80% sequence identity to each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are clustered at chromosomal location Xq28. They have been implicated in some hereditary disorders, such as dyskeratosis congenita.

Note: This product is for in vitro research use only