MST4 antibody

Catalog No: #22487



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

$\overline{}$			
	escr	מוי	tion
\boldsymbol{L}	COUL	ıv	เเบเ

Product Name	MST4 antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Purified by antigen-affinity chromatography.
Applications	WB IHC
Species Reactivity	Hu
Immunogen Type	Recombinant protein
Immunogen Description	Recombinant protein fragment contain a sequence corresponding to a region within amino acids 134 and 319
	(Q9P289) of MST4
Target Name	MST4
Accession No.	Swiss-Prot:Q9P289Gene ID:51765
Uniprot	Q9P289
GeneID	51765;
Concentration	0.8mg/ml
Formulation	Supplied in 0.1M Tris-buffered saline with 20% Glycerol (pH7.0). 0.01% Thimerosal was added as a
	preservative.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.


Application Details

Predicted MW: 47kd

Western blotting: 1:500-1:3000

Immunohistochemistry: 1:100-1:500

Images




Sample (30 ug of whole cell lysate)

A: Raji

10% SDS PAGE

Primary antibody diluted at 1: 1000



Immunohistochemical analysis of paraffin-embedded cal27 xenograft, using MST4 antibody antibody at 1: 500 dilution.

Background

The product of this gene is a member of the GCK group III family of kinases, which are a subset of the Ste20-like kinases. The encoded protein contains an amino-terminal kinase domain, and a carboxy-terminal regulatory domain that mediates homodimerization. The protein kinase localizes to the Golgi apparatus and is specifically activated by binding to the Golgi matrix protein GM130. It is also cleaved by caspase-3 in vitro, and may function in the apoptotic pathway. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been determined. [provided by RefSeq]

Note: This product is for in vitro research use only