

PMP22 Rabbit mAb

Catalog No: #49608



Package Size: #49608-1 50ul #49608-2 100ul

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)  
Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)


Description

Product Name	PMP22 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal antibody
Clone No.	JM52-30
Purification	ProA affinity purified
Applications	WB, ICC, IHC, FC
Species Reactivity	Hu, Rt
Immunogen Description	recombinant protein
Other Names	CMT1A antibody CMT1E antibody DSS antibody GAS-3 antibody GAS3 antibody Growth Arrest Specific 3 antibody Growth arrest-specific protein 3 antibody HMSNIA antibody HNPP antibody MGC20769 antibody Peripheral myelin protein 22 antibody PMP-22 antibody PMP22 antibody PMP22_HUMAN antibody Sp110 antibody Trembler antibody
Accession No.	Swiss-Prot#:Q01453
Uniprot	Q01453
GeneID	5376;
Calculated MW	22 kDa
Formulation	1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.
Storage	Store at -20°C


Application Details

WB: 1:500 IHC: 1:50-1:200 ICC: 1:50-1:200FC: 1:50-1:100


Images



Western blot analysis of PMP22 on PC-12 cell using anti-PMP22 antibody at 1/500 dilution.



Immunohistochemical analysis of paraffin-embedded rat brain tissue using anti-PMP22 antibody. Counter stained with hematoxylin.



ICC staining PMP22 in N2A cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Flow cytometric analysis of SH-SY5Y cells with PMP22 antibody at 1/100 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black).

## Background

PLP (myelin proteolipid protein or lipophilin) is a major constituent of myelin. The two isoforms of the myelin proteolipid protein, PLP and DM20, are very hydrophobic integral membrane proteins that account for about half of the protein content of adult CNS myelin. A mutation in the gene which encodes PLP is linked to Pelizaeus-Merzbacher disease (PMD), a chronic infantile type of diffuse cerebral sclerosis. The gene which encodes PLP maps to human chromosome Xq13-q22. The glycoprotein zero (also designated P-zero or myelin peripheral protein) is the major structural protein of peripheral myelin, accounting for more than 50% of the protein present in the sheath of peri-pheral nerves. Zero is an integral membrane glycoprotein whose expression is restricted to Schwann cells. The gene which encodes zero maps to human chromosome 1q22. PMP22 (peripheral myelin protein 22) is a growth-regulated membrane protein which is expressed by Schwann cells and is localized mainly in compact peripheral nervous system myelin. The gene which encodes PMP22 maps to human chromosome 17p11.2.

## References

Note: This product is for in vitro research use only