Mouse Thymic stromal lymphopoietin (TSLP) ELISA Kit

SAB Signalway Antibody

Catalog No: #EK5984

Package Size: #EK5984-1 48T #EK5984-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

| Product Name | Mouse Thymic stromal lymphopoietin (TSLP) ELISA Kit |
|--------------------|--|
| Brief Description | ELISA Kit |
| Applications | ELISA |
| Species Reactivity | Mouse (Mus musculus) |
| Accession No. | Q9JIE6 |
| Uniprot | Q9JIE6 |
| GeneID | 53603; |
| Storage | The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% |
| | within the expiration date under appropriate storage condition. |
| | The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days, |
| | and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China |
| | Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage |
| | at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C). |

Application Details

| Detect Range:15.6-1000 pg/mL | |
|--|--|
| Sensitivity:5.5 pg/mL | |
| Sample Type:Serum, Plasma, Other biological fluids | |
| Sample Volume: 1-200 μL | |
| Assay Time:1-4.5h | |
| Detection wavelength:450 nm | |

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate TSLP in samples. An antibody specific for TSLP has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyTSLP present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for TSLP is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of TSLP bound in the initial step. The color development is stopped and the intensity of the color is measured. Product Overview: The cytokine thymic stromal lymphopoietin (TSLP) drives immature B cell development in vitro and may regulate T helper type 2 responses. Thymic stromal lymphopoietin, also known as TSLP, is a human gene. This gene encodes a hemopoietic cytokine proposed to signal through a heterodimeric receptor complex composed of the thymic stromal lymphopoietin receptor and the IL-7R alpha chain. It mainly impacts myeloid cells and induces the release of T cell-attracting chemokines from monocytes and enhances the maturation of CD11c dendritic cells

Alternative splicing of this gene results in two transcript variants. TSLP is an interleukin (IL)-7-like cytokine produced by epithelial cells and triggers dendritic cell-mediated Th2 type allergic inflammatory responses.

Note: This product is for in vitro research use only