

# Rat Serine/threonine-protein kinase PAK 3 (PAK3) ELISA Kit

Catalog No: #EK8670

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)

Package Size: #EK8670-1 48T #EK8670-2 96T

## Description

Product Name	Rat Serine/threonine-protein kinase PAK 3 (PAK3) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Rat ( <i>Rattus norvegicus</i> )
Other Names	RP5-914P14.3; CDKN1A; MRX30; MRX47; OPHN3; PAK3beta; bPAK; hPAK3; OTTHUMP00000023856 beta-PAK oligophrenin-3 p21 (CDKN1A)-activated kinase 3 p21-activated kinase 3 serine/threonine-protein kinase PA
Accession No.	Q62829
Uniprot	Q62829
GeneID	29433;
Storage	<p>The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.</p> <p>The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days, and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).</p>

## Application Details

Detect Range:

Sensitivity:

Sample Type: Serum, Plasma, Other biological fluids

Sample Volume: 1-200 µL

Assay Time: 1-4.5h

Detection wavelength: 450 nm

## Product Description

**Detection Method:** Sandwich Test principle: This assay employs a two-site sandwich ELISA to quantitate PAK3 in samples. An antibody specific for PAK3 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any PAK3 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for PAK3 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of PAK3 bound in the initial step. The color development is stopped and the intensity of the color is measured.

**Product Overview:** PAK3 (p21-activated kinase 2, beta-PAK) is one of three members of Group I PAK family of evolutionary conserved serine/threonine kinases. PAK3 is preferentially expressed in neuronal cells and involved in synapse formation and plasticity and mental retardation.

---

Note: This product is for in vitro research use only