ADP-ribosylation factor-like protein 2 Polyclonal Antibody

SAB Signalway Antibody

Catalog No: #42235

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


| | | 4.5 |
|------|-----|-------|
| Desc | rır | ntion |
| DUSC | лιμ | LIOI |
| | | |

| Product Name | ADP-ribosylation factor-like protein 2 Polyclonal Antibody |
|-----------------------|--|
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Purification | Caprylic Acid Ammonium Sulfate Precipitation purified |
| Applications | WB |
| Species Reactivity | Hu |
| Specificity | The antibody detects endogenous level of total ADP-ribosylation factor-like protein 2 polyclonal antibody. |
| Immunogen Type | protein |
| Immunogen Description | Recombinant human ADP-ribosylation factor-like protein 2 protein |
| Target Name | ADP-ribosylation factor-like protein 2 |
| Other Names | ARL2 |
| Accession No. | Swiss-Prot#: P36404 |
| Uniprot | P36404 |
| GeneID | 402; |
| Calculated MW | 20.2kd |
| Formulation | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Storage | Store at -20°C |
| | |

Application Details

Western blotting: □1:500 - 1:1000

Images



All lanes : ADP-ribosylation factor-like protein 2 antibody at 2ug/mlLane 1 : EC109 whole cell lysateLane 2 : 293T whole cell lysate

?

SecondaryGoat polyclonal to Rabbit IgG at 1/15000 dilution

?

Predicted band size : 20.2 kDa Observed band size: 20.2 kDa

?

CSB-PA14209A0Rb"

Background

The ADP-ribosylation factor (Arf) family comprises a group of structurally and functionally conserved 21 kDa proteins, which are members of the Ras superfamily of regulatory GTP-binding proteins. Arf is involved in intracellular protein traffic to and within the Golgi complex. Arf has a number of

disparate activities including maintenance of organelle integrity, assembly of coat proteins, as a co-factor for cholera toxin and as an activator of phospholipase D. The Arf family is divided functionally into the Arf and the Arf-like (Arl) proteins. Arfs share more than 60% sequence identity, appear to be ubiquitous in eukaryotes, and are highly conserved evolutionarily.

References

[1]"Selective amplification of additional members of the ADP-ribosylation factor (ARF) family: cloning of additional human and Drosophila ARF-like genes."Clark J., Moore L., Krasinskas A., Way J., Battey J.F., Tamkun J.W., Kahn R.A.Proc. Natl. Acad. Sci.

Note: This product is for in vitro research use only