

## PDHK1(Phospho-Thr338) Antibody

Catalog No: #11596

Package Size: #11596-1 50ul #11596-2 100ul

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)

## Description


Product Name	PDHK1(Phospho-Thr338) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.
Applications	WB
Species Reactivity	Hu Ms Rt
Specificity	The antibody detects endogenous level of PDHK1 only when phosphorylated at threonine 338.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around phosphorylation site of threonine 338(Y-S-T(p)-A-P) derived from Human PDHK1.
Target Name	PDHK1
Modification	Phospho
Other Names	PDK1; PDH kinase 1
Accession No.	Swiss-Prot: Q15118NCBI Protein: NP_001265478.1
Uniprot	Q15118
GeneID	5163;
Target Species	Human
Calculated MW	49kd
Concentration	1.0mg/mL
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

## Application Details

Western blotting: 1:500~1:1000

## Images

Immunoblotting analysis of PDHK1 and PDH phosphorylation in mitochondria. Mitochondrial fractions were prepared and immunoblotted with indicated antibodies



## Background

Kinase that plays a key role in regulation of glucose and fatty acid metabolism and homeostasis via phosphorylation of the pyruvate dehydrogenase subunits PDHA1 and PDHA2. This inhibits pyruvate dehydrogenase activity, and thereby regulates metabolite flux through the tricarboxylic acid cycle, down-regulates aerobic respiration and inhibits the formation of acetyl-coenzyme A from pyruvate. Plays an important role in cellular responses to hypoxia and is important for cell proliferation under hypoxia. Protects cells against apoptosis in response to hypoxia and oxidative stress.

Gudi R., Bowker-Kinley M.M., Kedishvili N.Y., Zhao Y., Popov K.M.J. Biol. Chem. 270:28989-28994(1995)

The MGC Project TeamGenome Res. 14:2121-2127(2004)

Note: This product is for in vitro research use only