

GAD65 antibody

Catalog No: #22902

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description


Product Name	GAD65 antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Purified by antigen-affinity chromatography.
Applications	WB
Species Reactivity	Hu
Immunogen Type	Peptide
Immunogen Description	Synthetic peptide contain a sequence corresponding to a region within amino acids 465 and 528 of Human GAD2
Target Name	GAD65
Accession No.	Swiss-Prot:Q05329Gene ID:2572
Uniprot	Q05329
GeneID	2572;
Concentration	1mg/ml
Formulation	Supplied in 0.1M Tris-buffered saline with 10% Glycerol (pH7.0). 0.01% Thimerosal was added as a preservative.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

Application Details

Predicted MW: 65kd

Western blotting: 1:500-1:3000

Images



Sample (30 ug of whole cell lysate)

A: A431

7.5% SDS PAGE

Primary antibody diluted at 1: 1000

Background

This gene encodes one of several forms of glutamic acid decarboxylase, identified as a major autoantigen in insulin-dependent diabetes. The enzyme encoded is responsible for catalyzing the production of gamma-aminobutyric acid from L-glutamic acid. A pathogenic role for this enzyme has been

identified in the human pancreas since it has been identified as an autoantibody and an autoreactive T cell target in insulin-dependent diabetes. This gene may also play a role in the stiff man syndrome. Alternative splicing results in multiple transcript variants that encode the same protein. [provided by RefSeq]

Note: This product is for in vitro research use only