MEK1(Phospho-Ser221) Antibody

Catalog No: #11161

Package Size: #11161-1 50ul #11161-2 100ul



Orders: order@signalwayantibody.com Support: tech@signal way antibody.com


D	35011	iption
Pro	oduct	Name

Product Name	MEK1(Phospho-Ser221) Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates.	
	Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho	
	specific antibodies were removed by chromatogramphy using non-phosphopeptide.	
Applications	WB IHC IF	
Species Reactivity	Hu Ms Rt	
Specificity	The antibody detects endogenous level of MEK1 only when phosphorylated at serine 221.	
Immunogen Type	Peptide-KLH	
Immunogen Description	Peptide sequence around phosphorylation site of serine 221 (A-N-S(p)-F-V) derived from Human MEK1.	
Target Name	MEK1	
Modification	Phospho	
Other Names	ERK activator kinase 1; MAP kinase kinase 1; MAP2K1; MAPK/ERK kinase 1; MAPKK 1	
Accession No.	Swiss-Prot: Q02750NCBI Protein: NP_002746.1	
Uniprot	Q02750	
GeneID	5604;	
Concentration	1.0mg/ml	
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%	
	sodium azide and 50% glycerol.	
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.	


Application Details

Predicted MW: 45kd Western blotting: 1:500~1:1000 Immunohistochemistry: 1:50~1:100 Immunofluorescence: 1:100~1:200


Images




Western blot analysis of extracts from Hela cells untreated or treated with EGF using MEK1(Phospho-Ser221) Antibody #11161



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using MEK1(Phospho-Ser221) Antibody #11161(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed Hela cells using MEK1(Phospho-Ser221) Antibody #11161.



Western blot analysis of extracts from Hela cells, treated with calf intestinal phosphatase (CIP), using MEK1 (Phospho-Ser221) Antibody #11161.

Background

Catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in a Thr-Glu-Tyr sequence located in MAP kinases. Activates ERK1 and ERK2 MAP kinases.

Zebisch A, et al. (2006) Cancer Res; 66(7): 3401-8.

Luciano BS, et al. (2006) J Biol Chem; 279(50): 52117-23.

Wang X, et al. (2003) Oncogene; 22(1): 109-16.

Gopalbhai K, et al. (2003) J Biol Chem; 278(10): 8118-25.

Ling MT, et al. (2002)Oncogene; 21(55): 8498-505.

Note: This product is for in vitro research use only