

UBAP2L Conjugated Antibody

Catalog No: #C35131



Package Size: #C35131-AF350 100ul #C35131-AF405 100ul #C35131-AF488 100ul

#C35131-AF555 100ul #C35131-AF594 100ul #C35131-AF647 100ul

#C35131-AF680 100ul #C35131-AF750 100ul #C35131-Biotin 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	UBAP2L Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu
Specificity	The antibody detects endogenous levels of total UBAP2L protein.
Immunogen Description	Synthesized peptide derived from internal of human UBAP2L.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	UBAP2L;ubiquitin-associated protein 2-like;UBP2L
Accession No.	Swiss-Prot#:Q14157NCBI Gene ID:9898
Uniprot	Q14157
GeneID	9898;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	115
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Background

a ubiquitous protein containing an UBA-domain, which are present in multiple proteins of the ubiquitination pathway. Encoded by a gene of the human epidermal differentiation complex (EDC). May be involved in epidermal differentiation. Three isoforms of the human protein are produced by alternative splicing.

Note: This product is for in vitro research use only