

# GPI Polyclonal Antibody

Catalog No: #27978



Package Size: #27978-1 50ul #27978-2 100ul

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)  
Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)


## Description

Product Name	GPI Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	WB,IF
Species Reactivity	Human,Mouse,Rat
Immunogen Description	Recombinant fusion protein of human glucose-6-phosphate isomerase (NP_000166.2).
Other Names	GPI;AMF;GNPI;NLK;PGI;PHI;SA-36;SA36
Accession No.	Uniprot:P06744GenelD:2821
Uniprot	P06744
GenelD	2821
Calculated MW	56kDa
SDS-PAGE MW	56kDa
Formulation	PBS with 0.02% sodium azide,50% glycerol,pH7.3.
Storage	Store at -20°C. Avoid freeze / thaw cycles.


## Application Details

WB 1:500 - 1:2000IF 1:50 - 1:200

## Images



Western blot analysis of extracts of various cell lines, using glucose-6-phosphate isomerase antibody.



Immunofluorescence analysis of NIH-3T3 cells using glucose-6-phosphate isomerase antibody.

## Background

This gene encodes a member of the glucose phosphate isomerase protein family. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. In the cytoplasm, the gene product functions as a glycolytic enzyme (glucose-6-phosphate isomerase) that interconverts glucose-6-phosphate and fructose-6-phosphate. Extracellularly, the encoded protein (also referred to as neuroleukin) functions as a neurotrophic factor that promotes survival of skeletal motor neurons and sensory neurons, and as a lymphokine that induces immunoglobulin secretion. The encoded protein is also referred to as autocrine motility factor based on an additional function as a tumor-secreted cytokine and angiogenic factor. Defects in this gene are the cause of nonspherocytic hemolytic anemia and a severe enzyme deficiency can be associated with hydrops fetalis, immediate neonatal death and neurological impairment. Alternative splicing results in multiple transcript variants.

Note: This product is for in vitro research use only