

OPRK1 Polyclonal Antibody

Catalog No: #28419

Package Size: #28419-1 50ul #28419-2 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com


Description

Product Name	OPRK1 Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	WB,IHC,IF
Species Reactivity	Human,Mouse,Rat
Immunogen Description	A synthetic synthetic peptide of human OPRK1 (NP_000903.2).
Other Names	OPRK1; K-OR-1; KOR; KOR-1; OPRK; opioid receptor kappa 1
Accession No.	Swiss-Prot#:P41145NCBI Gene ID:4986
Uniprot	P41145
GeneID	4986;
Calculated MW	40kDa
Formulation	Avoid freeze / thaw cycles. Buffer: PBS with 50% glycerol, pH7.4.
Storage	Store at -20°C


Application Details

WB□1:500 - 1:2000IHC□1:50 - 1:200IF□1:50 - 1:200


Images




Immunohistochemistry of paraffin-embedded rat testis using OPRK1 at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded human stomach using OPRK1 at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse kidney using OPRK1 at dilution of 1:100 (40x lens).



Western blot analysis of extracts of various cell lines, using OPRK1 at 1:1000 dilution.

Background

This gene encodes an opioid receptor, which is a member of the 7 transmembrane-spanning G protein-coupled receptor family. It functions as a receptor for endogenous ligands, as well as a receptor for various synthetic opioids. Ligand binding results in inhibition of adenylate cyclase activity and neurotransmitter release. This opioid receptor plays a role in the perception of pain and mediating the hypolocomotor, analgesic and aversive actions of synthetic opioids. Variations in this gene have also been associated with alcohol dependence and opiate addiction. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. A recent study provided evidence for translational readthrough in this gene and expression of an additional C-terminally extended isoform via the use of an alternative in-frame translation termination codon.

Note: This product is for in vitro research use only