

## PXR Polyclonal Antibody

Catalog No: #29963

Package Size: #29963-1 50ul #29963-2 100ul

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)


## Description

Product Name	PXR Polyclonal Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	WB,IF
Species Reactivity	Human,Mouse,Rat
Immunogen Description	Recombinant protein of human PXR
Other Names	NR1I2; BXR; ONR1; PAR; PAR1; PAR2; PARq; PRR; PXR; SAR; SXR; nuclear receptor subfamily 1 group I member 2
Accession No.	Swiss-Prot#:O75469NCBI Gene ID:8856
Uniprot	O75469
GeneID	8856;
Calculated MW	50kDa
Formulation	Avoid freeze / thaw cycles. Buffer: PBS with 50% glycerol, pH7.4.
Storage	Store at -20°C


## Application Details

WB□1:500 - 1:2000IF□1:50 - 1:200

## Images



Immunofluorescence analysis of C6 cells using PXR Polyclonal at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Western blot analysis of extracts of various cell lines, using PXR at 1:1000 dilution.

## Background

This gene product belongs to the nuclear receptor superfamily, members of which are transcription factors characterized by a ligand-binding domain and a DNA-binding domain. The encoded protein is a transcriptional regulator of the cytochrome P450 gene CYP3A4, binding to the response element of the CYP3A4 promoter as a heterodimer with the 9-cis retinoic acid receptor RXR. It is activated by a range of compounds that induce CYP3A4, including dexamethasone and rifampicin. Several alternatively spliced transcripts encoding different isoforms, some of which use non-AUG (CUG) translation initiation codon, have been described for this gene. Additional transcript variants exist, however, they have not been fully characterized.

Note: This product is for in vitro research use only