

PRKCZ Conjugated Antibody

Catalog No: #C28454



Package Size: #C28454-AF350 100ul #C28454-AF405 100ul #C28454-AF488 100ul
#C28454-AF555 100ul #C28454-AF594 100ul #C28454-AF647 100ul
#C28454-AF680 100ul #C28454-AF750 100ul #C28454-Biotin 100ul

Orders: order@signalwayantibody.com
Support: tech@signalwayantibody.com

Description

Product Name	PRKCZ Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	most applications
Species Reactivity	Hu,Ms,Rt
Immunogen Description	Recombinant fusion protein of human PRKCZ (NP_002735.3).
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	PRKCZ; PKC-ZETA; PKC2; protein kinase C zeta
Accession No.	Swiss-Prot#:Q05513NCBI Gene ID:5590
Uniprot	Q05513
GeneID	5590;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	78kDa
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

- AF350 conjugated: most applications: 1: 50 - 1: 250
- AF405 conjugated: most applications: 1: 50 - 1: 250
- AF488 conjugated: most applications: 1: 50 - 1: 250
- AF555 conjugated: most applications: 1: 50 - 1: 250
- AF594 conjugated: most applications: 1: 50 - 1: 250
- AF647 conjugated: most applications: 1: 50 - 1: 250
- AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Background

Protein kinase C (PKC) zeta is a member of the PKC family of serine/threonine kinases which are involved in a variety of cellular processes such as proliferation, differentiation and secretion. Unlike the classical PKC isoenzymes which are calcium-dependent, PKC zeta exhibits a kinase activity which is independent of calcium and diacylglycerol but not of phosphatidylserine. Furthermore, it is insensitive to typical PKC inhibitors and cannot be activated by phorbol ester. Unlike the classical PKC isoenzymes, it has only a single zinc finger module. These structural and biochemical properties indicate that the zeta subspecies is related to, but distinct from other isoenzymes of PKC. Alternative splicing results in multiple transcript variants encoding different isoforms.

Note: This product is for in vitro research use only