

SV2B Conjugated Antibody

Catalog No: #C29791



Package Size: #C29791-AF350 100ul #C29791-AF405 100ul #C29791-AF488 100ul

#C29791-AF555 100ul #C29791-AF594 100ul #C29791-AF647 100ul

#C29791-AF680 100ul #C29791-AF750 100ul #C29791-Biotin 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	SV2B Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	most applications
Species Reactivity	Hu
Immunogen Description	Recombinant fusion protein of human SV2B (NP_055663.1).
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	SV2B; HsT19680; synaptic vesicle glycoprotein 2B
Accession No.	Swiss-Prot#:Q7L1I2NCBI Gene ID:9899
Uniprot	Q7L1I2
GeneID	9899;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	Refer to figures
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Background

This gene encodes a member of the synaptic vesicle proteins 2 (SV2) family and major facilitator superfamily of proteins. This protein and other members of the family are localized to synaptic vesicles and may function in the regulation of vesicle trafficking and exocytosis. Studies in mice suggest that the encoded protein may act as a protein receptor for botulinum neurotoxin E in neurons, and that this protein may be important for the integrity of the glomerular filtration barrier. This gene shows reduced expression in areas of synaptic loss in the hippocampus of human temporal lobe epilepsy patients.

Note: This product is for in vitro research use only