## Aβ42 Conjugated Antibody

Catalog No: #C30375

SAB Signalway Antibody

Package Size: #C30375-AF350 100ul #C30375-AF405 100ul #C30375-AF488 100ul

#C30375-AF555 100ul #C30375-AF594 100ul #C30375-AF647 100ul

#C30375-AF680 100ul #C30375-AF750 100ul #C30375-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

Product Name	Aβ42 Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	most applications
Species Reactivity	Hu,Ms,Rt
Immunogen Description	A synthetic peptide of human Aβ42.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	APP; AAA; ABETA; ABPP; AD1; APPI; CTFgamma; CVAP; PN-II; PN2; preA4; amyloid beta A4 protein
Accession No.	Swiss-Prot#:P05067NCBI Gene ID:351
Uniprot	P05067
GeneID	351;
Excitation Emission	AF350: 346nm/442nm
	AF405: 401nm/421nm
	AF488: 493nm/519nm
	AF555: 555nm/565nm
	AF594: 591nm/614nm
	AF647: 651nm/667nm
	AF680: 679nm/702nm
	AF750: 749nm/775nm
Calculated MW	Refer to figures
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

## **Application Details**

uggested Dilution:	
F350 conjugated: most applications: 1: 50 - 1: 250	
F405 conjugated: most applications: 1: 50 - 1: 250	
F488 conjugated: most applications: 1: 50 - 1: 250	
F555 conjugated: most applications: 1: 50 - 1: 250	
F594 conjugated: most applications: 1: 50 - 1: 250	
F647 conjugated: most applications: 1: 50 - 1: 250	
F680 conjugated: most applications: 1: 50 - 1: 250	

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Background

This gene encodes a cell surface receptor and transmembrane precursor protein that is cleaved by secretases to form a number of peptides. Some of these peptides are secreted and can bind to the acetyltransferase complex APBB1/TIP60 to promote transcriptional activation, while others form the protein basis of the amyloid plaques found in the brains of patients with Alzheimer disease. In addition, two of the peptides are antimicrobial peptides, having been shown to have bacteriocidal and antifungal activities. Mutations in this gene have been implicated in autosomal dominant Alzheimer disease and cerebroarterial amyloidosis (cerebral amyloid angiopathy). Multiple transcript variants encoding several different isoforms have been found for this gene.

Note: This product is for in vitro research use only