## Trk B (phospho Tyr706) Polyclonal Antibody

Catalog No: #13467

Package Size: #13467-1 50ul #13467-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

D	es	cr	ipi	tio	n

Product Name	Trk B (phospho Tyr706) Polyclonal Antibody
Host Species	Rabbit
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific
	immunogen.
Applications	WB,IHC-p,IF/ICC,ELISA
Species Reactivity	Human,Mouse,Rat
Specificity	Phospho-Trk B (Y706) Polyclonal Antibody detects endogenous levels of Trk B protein only when
	phosphorylated at Y706.
Immunogen Description	The antiserum was produced against synthesized peptide derived from human Trk B around the
	phosphorylation site of Tyr705. AA range:671-720
Other Names	NTRK2; TRKB; BDNF/NT-3 growth factors receptor; GP145-TrkB; Trk-B; Neurotrophic tyrosine kinase
	receptor type 2; TrkB tyrosine kinase; Tropomyosin-related kinase B
Accession No.	Swiss Prot:Q16620GeneID:4915
Uniprot	Q16620
GeneID	4915
SDS-PAGE MW	92
Concentration	1 mg/ml
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage	-20°C/1
Accession No. Uniprot GeneID SDS-PAGE MW Concentration Formulation	NTRK2; TRKB; BDNF/NT-3 growth factors receptor; GP145-TrkB; Trk-B; Neurotrophic tyrosine kinase receptor type 2; TrkB tyrosine kinase; Tropomyosin-related kinase B  Swiss Prot:Q16620GeneID:4915  Q16620  4915  92  1 mg/ml  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.


## **Application Details**

Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.
Immunofluorescence: 1/200 - 1/1000.

ELISA: 1/20000. Not yet tested in other applications.

## **Images**



Western blot analysis of extracts from 293/HelaoO using Trk B (phospho Tyr706) Antibody.

## Background

neurotrophic receptor tyrosine kinase 2(NTRK2) Homo sapiens This gene encodes a member of the neurotrophic tyrosine receptor kinase (NTRK) family. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. Signalling through this kinase leads to cell differentiation. Mutations in this gene have been associated with obesity and mood disorders. Alternative splicing results in multiple transcript variants. [provided by RefSeq, May 2014],

Note: This product is for in vitro research use only