

Dnmt3 Beta Antibody FITC Conjugated

Catalog No: #C00215F

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	Dnmt3 Beta Antibody FITC Conjugated
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Purified by Protein A.
Applications	Flow-Cyt
Species Reactivity	Hu Ms Rt
Immunogen Description	KLH conjugated synthetic peptide aa 1-50 812 derived from human Dnmt3 Beta
Conjugates	FITC
Target Name	Dnmt3 Beta
Other Names	ICF; ICF1; M.HsaIIIB; DNA (cytosine-5)-methyltransferase 3B; Dnmt3b; DNA methyltransferase HsaIIIB; DNA MTase HsaIIIB
Accession No.	Swiss-Prot#Q9UBC3NCBI Gene ID1789
Uniprot	Q9UBC3
GeneID	1789;
Excitation Emission	494nm 518nm
Cell Localization	Nucleus
Concentration	1mg ml
Formulation	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Application Details

Flow-Cyt=1:50-200

Background

Required for genome-wide de novo methylation and is essential for the establishment of DNA methylation patterns during development. DNA methylation is coordinated with methylation of histones. May preferentially methylates nucleosomal DNA within the nucleosome core region. May function as transcriptional co-repressor by associating with CBX4 and independently of DNA methylation. Seems to be involved in gene silencing (By similarity). In association with DNMT1 and via the recruitment of CTCFL BORIS, involved in activation of BAG1 gene expression by modulating dimethylation of promoter histone H3 at H3K4 and H3K9. Isoforms 4 and 5 are probably not functional due to the deletion of two conserved methyltransferase motifs. Function as transcriptional corepressor by associating with ZHX1.

Note: This product is for in vitro research use only