USP11 Rabbit mAb

Catalog No: #52089

Package Size: #52089-1 50ul #52089-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


_			
	Accri	nti	<u>on</u>
ט	escri	บแ	UH

· · · · · · · · · · · · · · · · · · ·		
Product Name	USP11 Rabbit mAb	
Host Species	Recombinant Rabbit	
Clonality	Monoclonal antibody	
Clone No.	S08-2D7	
Isotype	Rabbit IgG	
Purification	Affinity Purified	
Applications	WB	
Species Reactivity	Human,Mouse,Rat	
Immunogen Description	A synthetic peptide of human USP11	
Conjugates	Unconjugated	
Modification	Unmodification	
Other Names	UHX1; USP11;	
Accession No.	Swiss-Prot:P51784GeneID:8237	
Uniprot	P51784	
GeneID	8237	
Calculated MW	Calculated MW: 110 kDa; Observed MW: 110 kDa	
Concentration	0.3 mg/ml	
Formulation	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.	

Application Details

WB: 1/2000;

Images



Western blot detection of USP11 in Jurkat,Rat Brain,Hela cell lysates using USP11 Rabbit mAb(1:1000 diluted).Predicted band size:110kDa.Observed band size:110kDa.

Background

Swiss-Prot Acc.P51784.Protease that can remove conjugated ubiquitin from target proteins and polyubiquitin chains (PubMed:12084015,

PubMed:15314155, PubMed:17897950, PubMed:19874889, PubMed:20233726, PubMed:28992046, PubMed:24724799).

Inhibits the degradation of target proteins by the proteasome (PubMed:12084015).

Cleaves preferentially 'Lys-6' and 'Lys-63'-linked ubiquitin chains. Has lower activity with 'Lys-11' and 'Lys-33'-linked ubiquitin chains, and extremely low activity with 'Lys-27', 'Lys-29' and 'Lys-48'-linked ubiquitin chains (in vitro) (PubMed:24724799).

Plays a role in the regulation of pathways leading to NF-kappa-B activation (PubMed:17897950, PubMed:19874889).

Plays a role in the regulation of DNA repair after double-stranded DNA breaks (PubMed:15314155, PubMed:20233726).

Acts as a chromatin regulator via its association with the Polycomb group (PcG) multiprotein PRC1-like complex; may act by deubiquitinating components of the PRC1-like complex (PubMed:20601937).

Promotes cell proliferation by deubiquitinating phosphorylated E2F1 (PubMed:28992046).

Note: This product is for in vitro research use only