BAG3 Rabbit mAb

Catalog No: #52171

Package Size: #52171-1 50ul #52171-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


Description

| Product Name | BAG3 Rabbit mAb |
|-----------------------|--|
| Host Species | Recombinant Rabbit |
| Clonality | Monoclonal antibody |
| Clone No. | S05-6D5 |
| Isotype | Rabbit IgG |
| Purification | Affinity Purified |
| Applications | WB |
| Species Reactivity | Human,Mouse,Rat |
| Immunogen Description | Recombinant protein of human Bag3 |
| Conjugates | Unconjugated |
| Modification | Unmodification |
| Other Names | BIS; MFM6; BAG-3; CAIR-1 |
| Accession No. | Swiss-Prot:O95817GeneID:9531 |
| Uniprot | O95817 |
| GeneID | 9531 |
| Calculated MW | Calculated MW: 62 kDa; Observed MW: 80 kDa |
| Concentration | 0.3 mg/ml |
| Formulation | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |

Application Details

WB: 1/1000;

Images



Western blot detection of Bag3 in K562,Rat Brain cell lysates using Bag3 Rabbit mAb(1:1000 diluted).Predicted band size:62kDa.Observed band size:80kDa.

Background

Swiss-Prot Acc.O95817.Co-chaperone for HSP70 and HSC70 chaperone proteins. Acts as a nucleotide-exchange factor (NEF) promoting the release of ADP from the HSP70 and HSC70 proteins thereby triggering client/substrate protein release. Nucleotide release is mediated via its binding to the nucleotide-binding domain (NBD) of HSPA8/HSC70 where as the substrate release is mediated via its binding to the substrate-binding domain (SBD) of HSPA8/HSC70 (PubMed:9873016, PubMed:27474739). Has anti-apoptotic activity (PubMed:10597216). Plays a role in the HSF1 nucleocytoplasmic transport (PubMed:26159920).

Note: This product is for in vitro research use only