Recombinant Human Trefoil Factor 3

Catalog No: #AP60458




Package Size: #AP60458-1 5ug #AP60458-2 100ug #AP60458-3 500ug

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description	
Product Name	Recombinant Human Trefoil Factor 3
Host Species	Escherichia coli.
Purification	> 97 % by SDS-PAGE and HPLC analyses.
Other Names	Intestinal Trefoil Factor, hITF, Polypeptide P1.B, hP1.B
Uniprot	Q07654
GeneID	7033
Calculated MW	Approximately 13.2 kDa, a homodimeric protein consisting of two 59 amino acid chains, which includes a
	40-amino acid trefoil motif containing three conserved intramolecular disulfide bonds.
Target Sequence	EEYVGLSANQ CAVPAKDRVD CGYPHVTPKE CNNRGCCFDS RIPGVPWCFK PLQEAECTF
Formulation	Lyophilized from a 0.2 μm filtered concentrated solution in PBS, pH 7.4.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles 12 months from date of receipt, -20 to
	-70 °C as supplied 1 month, 2 to 8 °C under sterile conditions after reconstitution 3 months, -20 to -70 °C

under sterile conditions after reconstitution.

Images



Background

Trefoil factor 3 encoded by the TFF3 gene in humans, belongs to the trefoil factor family that consists of three members named TFF1, TFF2 and TFF3. They are characterized by having at least one copy of the trefoil motif, a 40-amino acid domain that contains three conserved disulfides. TFF-3 is expressed by goblet cells and in the uterus, and has also been shown to express in certain cancers, including colorectal, hepatocellular, and in biliary tumors. It involves in the maintenance and repair of the intestinal mucosa, also promotes the mobility of epithelial cells in healing processes. TFF3 overexpression is crucial for progression in mouse and human hepatocellular carcinogenesis. TFF3 may be useful as a molecular marker for certain types of cancer, but its role, if any, in tumorigenesis is unknown.

Note: This product is for in vitro research use only