## **BDNF** Rabbit mAb

Catalog No: #58663



Package Size: #58663-1 50ul #58663-2 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


### Description

Product Name	BDNF Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB IHC ICC/IF
Species Reactivity	Human Mouse Rat
Specificity	BDNF Antibody detects endogenous levels of total BDNF
Immunogen Description	A synthesized peptide derived from human BDNF
Other Names	BDNF;MGC34632;Abrineurin; ANON2; Brain Derived Neurotrophic Factor; Neurotrophin;BULN2;
Accession No.	Uniprot:P23560
Uniprot	P23560
Calculated MW	28kDa
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.


# Application Details

WB 1:500~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200


### **Images**




Western blot analysis of extracts of Human cerebellum lysate, using BDNF antibody.



Immunohistochemical analysis of paraffin-embedded human testis, using BDNF Antibody .



Immunofluorescent analysis of HeLa cells, using BDNF Antibody.



All lanes use the Antibody at 1:1k dilution for 1 hour at room temperature.

#### **Product Description**

Neurotrophins function to regulate naturally occurring cell death of neurons during development. The prototype neurotrophin is nerve growth factor (NGF), originally discovered in the 1950s as a soluble peptide promoting the survival of, and neurite outgrowth from, sympathetic ganglia. Three additional structurally homologous neurotrophic factors have been identified. These include brain-derived neurotrophic factor (BDNF), neurotrophin-3 (NT-3) and neurotrophin-4 (NT-4) (also designated NT-5).

#### Background

Neurotrophins function to regulate naturally occurring cell death of neurons during development. The prototype neurotrophin is nerve growth factor (NGF), originally discovered in the 1950s as a soluble peptide promoting the survival of, and neurite outgrowth from, sympathetic ganglia. Three additional structurally homologous neurotrophic factors have been identified. These include brain-derived neurotrophic factor (BDNF), neurotrophin-3 (NT-3) and neurotrophin-4 (NT-4) (also designated NT-5).

Note: This product is for in vitro research use only