## Biotin anti-human CD56

Catalog No: #FC0140

Package Size: #FC0140-1 25ug #FC0140-2 100ug



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| $\overline{}$     |       | 4.0 |    |
|-------------------|-------|-----|----|
|                   | escri | ntı | nη |
| $\boldsymbol{ u}$ | COUL  | Μu  | UH |


| Product Name       | Biotin anti-human CD56  |  |
|--------------------|---|--|
| Brief Description  | mouse monoclonal antibody   |  |
| Host Species       | mouse   |  |
| Clonality          | Monoclonal  |  |
| Clone No.          | s-MY31  |  |
| Isotype            | mouse IgG1,k  |  |
| Applications       | FC  |  |
| Species Reactivity | human   |  |
| Conjugates         | Biotin  |  |
| Target Name        | CD56  |  |
| Formulation        | 0.2%BSA and 0.1%Proclin 300 Phosphate-buffered solution,PH7.2-7.4 |  |
| Storage            | Store at 4°C. DO NOT FREEZE. LIGHT SENSITIVE MATERIAL.            |  |

## **Application Details**

Test: 5 µl/Test

Notice: This reagent has been pre-diluted for use at recommended volume per test in flow cytometry analysis. Typically, 1x 106 cells can be tested per experiment. Refer to the detailed scenario as you test.

## **Images**



Human peripheral blood lymphocytesstained with Biotin anti-human CD56 (colored histogram) or Biotin mouse IgG1  $\kappa$  (gray histogram),followed by SAV-PE.

Note: This product is for in vitro research use only