N-cadherin Antibody HRP Conjugated

Catalog No: #C01440H



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Description | Support: tech@signalwayantibody.com |
|-----------------------|---|
| Product Name | N-cadherin Antibody HRP Conjugated |
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Isotype | IgG |
| Purification | Purified by Protein A. |
| Applications | WB IHC-P IHC-F |
| Species Reactivity | Hu Ms Rt |
| Immunogen Description | KLH conjugated synthetic peptide aa 746-790 906 derived from human N-cadherin |
| Conjugates | HRP |
| Target Name | N-cadherin |
| Other Names | CDHN; NCAD; CD325; CDw325; Cadherin-2; Neural cadherin; N-cadherin; CDH2 |
| Accession No. | Swiss-Prot#P19022NCBI Gene ID1000 |
| Uniprot | P19022 |
| GeneID | 1000; |
| Excitation Emission | N A |
| Cell Localization | Cytoplasm |
| Concentration | 1mg ml |
| Formulation | 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. |
| Storage | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. |
| | |

Application Details

WB=1:500-2000 IHC-P=1:50-200 IHC-F=1:50-200

Background

Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. Acts as a regulator of neural stem cells quiescence by mediating anchorage of neural stem cells to ependymocytes in the adult subependymal zone: upon cleavage by MMP24, CDH2-mediated anchorage is affected, leading to modulate neural stem cell quiescence. CDH2 may be involved in neuronal recognition mechanism. In hippocampal neurons, may regulate dendritic spine density (By similarity).

Note: This product is for in vitro research use only