

DAP12 Antibody PE Conjugated

Catalog No: #C02122P

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	DAP12 Antibody PE Conjugated
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Purified by Protein A.
Applications	Flow-Cyt IF
Species Reactivity	Hu Ms Rt
Immunogen Description	KLH conjugated synthetic peptide derived from human DAP12
Conjugates	PE
Target Name	DAP12
Other Names	DAP 12; DAP12; DNAX activation protein 12; DNAX-activation protein 12; KAR-associated protein; KARAP; Killer activating receptor associated protein; Killer-activating receptor-associated protein; PLOSL; TYOBP_HUMAN; TYRO protein tyrosine kinase binding protein; TYRO protein tyrosine kinase-binding p
Excitation Emission	480,565nm 578nm
Concentration	1mg ml
Formulation	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Application Details

Flow-Cyt=1:50-200 IF=1:50-200

Background

This gene encodes a transmembrane signaling polypeptide which contains an immunoreceptor tyrosine-based activation motif (ITAM) in its cytoplasmic domain. The encoded protein may associate with the killer-cell inhibitory receptor (KIR) family of membrane glycoproteins and may act as an activating signal transduction element. This protein may bind zeta-chain (TCR) associated protein kinase 70kDa (ZAP-70) and spleen tyrosine kinase (SYK) and play a role in signal transduction, bone modeling, brain myelination, and inflammation. Mutations within this gene have been associated with polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy (PLOSL), also known as Nasu-Hakola disease. Its putative receptor, triggering receptor expressed on myeloid cells 2 (TREM2), also causes PLOSL. Multiple alternative transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Mar 2010]

Note: This product is for in vitro research use only