IGF-1R(Ab-1161) Antibody

Catalog No: #21080

Package Size: #21080-1 50ul #21080-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$		4.5
1	Accri	ption
$\boldsymbol{ u}$	COUL	Puon

Product Name	IGF-1R(Ab-1161) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were
	purified by affinity-chromatography using epitope-specific peptide.
Applications	WB IHC IF
Species Reactivity	Hu Ms Rt
Specificity	The antibody detects endogenous level of total IGF-1R protein.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around aa.1159~1163 (D-I-Y-E-T) derived from Human IGF-1R .
Target Name	IGF-1R
Other Names	Insulin-like growth factor I receptor; CD221; IGF1R; kinase IGF1R;
Accession No.	Swiss-Prot: P08069NCBI Protein: NP_000866.1
Uniprot	P08069
GeneID	3480;
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
	sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.


Application Details

Predicted MW: 200 95 kd
Western blotting: 1:500~1:1000
Immunohistochemistry: 1:50~1:100
Immunofluorescence: 1:100~1:200


Images



Western blot analysis of extracts from 293 cells using IGF-1R(Ab-1161) Antibody #21080 and the same antibody preincubated with blocking peptide.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using IGF-1R(Ab-1161) Antibody #21080(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed MCF cells using IGF-1R(Ab-1161) Antibody #21080.

Background

This receptor binds insulin-like growth factor 1 (IGF1) with a high affinity and IGF2 with a lower affinity. It has a tyrosine-protein kinase activity, which is necessary for the activation of the IGF1-stimulated downstream signaling cascade. When present in a hybrid receptor with INSR, binds IGF1. Li S, et al. (1994) J Biol Chem; 269(51).

Hernandez-Sanchez C, et al. (1995) J Biol Chem.

Note: This product is for in vitro research use only