Vitamin D Receptor VDR Antibody HRP Conjugated

Catalog No: #C04409H



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Description | Support: tech@signalwayantibody.com |
|-----------------------|--|
| Product Name | Vitamin D Receptor VDR Antibody HRP Conjugated |
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Isotype | IgG |
| Purification | Purified by Protein A. |
| Applications | IHC-PB IHC-F |
| Species Reactivity | HuB MsB RtB B B B B |
| Immunogen Description | KLH conjugated synthetic peptide derived from human Vitamin D Receptor |
| Conjugates | HRP |
| Target Name | Vitamin D Receptor VDR |
| Other Names | NR1I1; PPP1R163; Vitamin D3 receptor; VDR; 1,25-dihydroxyvitamin D3 receptor; Nuclear receptor subfamily |
| | 1 group I member 1 |
| Accession No. | Swiss-Prot#P11473NCBI Gene ID7421 |
| Uniprot | P11473 |
| GeneID | 7421; |
| Excitation Emission | N A |
| Cell Localization | Nucleus |
| Concentration | 1mg ml |
| Formulation | 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. |
| Storage | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. |
| | |

Application Details

IHC-P=1:50-200B IHC-F=1:50-200B

Background

Nuclear hormone receptor. Transcription factor that mediates the action of vitamin D3 by controlling the expression of hormone sensitive genes.

Regulates transcription of hormone sensitive genes via its association with the WINAC complex, a chromatin-remodeling complex. Recruited to promoters via its interaction with the WINAC complex subunit BAZ1B WSTF, which mediates the interaction with acetylated histones, an essential step for VDR-promoter association. Plays a central role in calcium homeostasis.

Note: This product is for in vitro research use only