MAP2K6 Antibody

Catalog No: #33805

Package Size: #33805-1 50ul #33805-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$			4.5	
	മലേ	rın	tio	m
\boldsymbol{L}	esci	טוו	uu	48

Product Name	MAP2K6 Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific	
	immunogen.	
Applications	WB	
Species Reactivity	Hu Ms Rt	
Specificity	The antibody detects endogenous levels of total MAP2K6 protein.	
Immunogen Type	Peptide	
Immunogen Description	Synthesized peptide derived from N-terminal of human MAP2K6.	
Target Name	MAP2K6	
Other Names	Dual specificity mitogen-activated protein kinase kinase 6; EC 2.7.12.2; MAP kinase kinase 6; MAP2K6;	
	MAPK/ERK kinase 6	
Accession No.	Swiss-Prot: P52564NCBI Gene ID: 5608	
Uniprot	P52564	
GeneID	5608;	
SDS-PAGE MW	37kd	
Concentration	1.0mg/ml	
Formulation	Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide	
	and 50% glycerol.	
Storage	Store at -20°C	

Application Details

Western blotting: 1:500~1:3000

Images



Western blot analysis of extracts from 293 cells, using MAP2K6 antibody #33805.

Background

Dual specificity protein kinase which acts as an essential component of the MAP kinase signal transduction pathway. With MAP3K3/MKK3, catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in the MAP kinases p38 MAPK11, MAPK12, MAPK13 and MAPK14 and plays an important role in the regulation of cellular responses to cytokines and all kinds of stresses. Especially, MAP2K3/MKK3 and MAP2K6/MKK6 are both essential for the activation of MAPK11 and MAPK13 induced by environmental stress, whereas MAP2K6/MKK6 is the major MAPK11 activator in response to TNF. MAP2K6/MKK6 also phosphorylates and activates PAK6. The p38 MAP kinase signal transduction pathway leads to direct activation of transcription factors. Nuclear targets of p38 MAP kinase include the transcription factors ATF2 and ELK1. Within the p38 MAPK signal transduction pathway, MAP3K6/MKK6 mediates phosphorylation of STAT4 through MAPK14 activation, and is therefore required for STAT4 activation and STAT4-regulated gene expression in response to IL-12 stimulation. The pathway is also crucial for IL-6-induced SOCS3 expression and down-regulation of IL-6-mediated gene induction; and for IFNG-dependent gene transcription. Has a role in osteoclast differentiation through NF-kappa-B transactivation by TNFSF11, and in endochondral ossification and since SOX9 is another likely downstream target of the p38 MAPK pathway. MAP2K6/MKK6 mediates apoptotic cell death in thymocytes. Acts also as a regulator for melanocytes dendricity, through the modulation of Rho family GTPases.

Raingeaud J., Mol. Cell. Biol. 16:1247-1255(1996). Stein B., J. Biol. Chem. 271:11427-11433(1996). Han J., J. Biol. Chem. 271:2886-2891(1996).

Note: This product is for in vitro research use only