## MBP(myelin basic protein) Antibody

Catalog No: #21640

Package Size: #21640-1 50ul #21640-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Description           |   |
|-----------------------|---|
| Product Name          | MBP(myelin basic protein) Antibody  |
| Host Species          | Rabbit  |
| Clonality             | Polyclonal  |
| Purification          | Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were |
|                       | purified by affinity-chromatography using epitope-specific peptide.                                       |
| Applications          | WB  |
| Species Reactivity    | Hu Ms Rt  |
| Specificity           | The antibody detects endogenous level of total MBP(myelin basic protein) protein.                         |
| Immunogen Type        | Peptide-KLH   |
| Immunogen Description | Peptide sequence around aa.291~295(G-G-R-D-S  |
| Target Name           | MBP(myelin basic protein)   |
| Other Names           | MGC99675  |
| Accession No.         | Swiss-Prot: P02686NCBI Protein: NP_001020252.1  |
| Uniprot               | P02686  |
| GeneID                | 4155;   |
| Concentration         | 1.0mg/ml  |
| Formulation           | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%      |

Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.


sodium azide and 50% glycerol.

## **Application Details**

Predicted MW: 14~33kd Western blotting: 1:500~1:1000

## **Images**

Storage



Western blot analysis of extract from Rat brain, Mouse brain and Rat hippocampus Tissue using MBP Antibody #21640

## Background

The classic group of MBP isoforms (isoform 4-isoform 14) are with PLP the most abundant protein components of the myelin membrane in the CNS. They have a role in both its formation and stabilization. The smaller isoforms might have an important role in remyelination of denuded axons in multiple sclerosis. The non-classic group of MBP isoforms (isoform 1-isoform 3/Golli-MBPs) may preferentially have a role in the early developing brain long before myelination, maybe as components of transcriptional complexes, and may also be involved in signaling pathways in T-cells and neural cells. Differential splicing events combined with optional post-translational modifications give a wide spectrum of isomers, with each of them potentially having a specialized function. Induces T-cell proliferation.

Pribyl T.M., Campagnoni C.W., Kampf K. Proc. Natl. Acad. Sci. U.S.A. 90:10695-10699(1993) Nye S.H., Pelfrey C.M., Burkwit J.J. Mol. Immunol. 32:1131-1141(1995)

Note: This product is for in vitro research use only