## NMDANR2B Subunit Antibody

Catalog No: #21560

Package Size: #21560-1 50ul #21560-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


Description	
Product Name	NMDANR2B Subunit Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were
	purified by affinity-chromatography using epitope-specific peptide.
Applications	WB
Species Reactivity	Hu Ms Rt
Specificity	The antibody detects endogenous level of total NMDANR2B Subunit protein.
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around aa.1250-1254(N-L-Y-D-I) derived from Human NMDANR2B Subunit.
Target Name	NMDANR2B Subunit
Other Names	NMDAR2B; NR2B;
Accession No.	Swiss-Prot: Q00960NCBI Protein: NP_036706.1
Uniprot	Q00960
GeneID	24410;
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
	sodium azide and 50% glycerol.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

## **Application Details**

Predicted MW: 180kd

Western blotting: 1:500~1:1000

## **Images**



Western blot analysis of extract from T98G cells using NMDANR2B Subunit Antibody #21560

## Background

NMDA receptor subtype of glutamate-gated ion channels with high calcium permeability and voltage-dependent sensitivity to magnesium. Mediated by glycine. In concert with DAPK1 at extrasynaptic sites, acts as a central mediator for stroke damage. Its phosphorylation at Ser-1303 by DAPK1 enhances synaptic NMDA receptor channel activity inducing injurious Ca2+ influx through them, resulting in an irreversible neuronal death Kornau H.C., Schenker L.T., Kennedy M.B., Seeburg P.H.Science 269:1737-1740(1995)

Kurschner C., Mermelstein P.G., Holden W.T., Surmeier D.J.Mol. Cell. Neurosci. 11:161-172(1998)

Note: This product is for in vitro research use only