

pan Cytokeratin Polyclonal Antibody Cy5 Conjugated

Catalog No: #C03645Cy5

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	pan Cytokeratin Polyclonal Antibody Cy5 Conjugated
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Purified by Protein A.
Applications	IF
Species Reactivity	Hu Ms Rt
Immunogen Description	KLH conjugated synthetic peptide aa 170-210 644 derived from human pan cytokeratin
Conjugates	Cy5
Target Name	pan Cytokeratin
Other Names	pan-cytokeratin; pan-CK; pan CK; P-CK; wide spectrum Cytokeratin; Cytokeratins; [cytokeratins 1, 2,4,5,6,7,8,71,72,75,78].
Excitation Emission	625,650nm 670nm
Concentration	1mg ml
Formulation	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Application Details

IF=1:50-200

Background

Cytokeratins are proteins of keratin-containing intermediate filaments found in the intracytoplasmic cytoskeleton of epithelial tissue. The cytokeratins are encoded by a family encompassing 30 genes. Among them, 20 are epithelial genes and the remaining 10 are specific for trichocytes. In the cytoplasm, the keratin filaments conform a complex network which extends from the surface of the nucleus to the cell membrane. Numerous accessory proteins are involved in the genesis and maintenance of such structure. This association between the plasma membrane and the nuclear surface provides important implications for the organization of the cytoplasm and cellular communication mechanisms. Apart from the relatively static functions provided in terms of supporting the nucleus and providing tensile strength to the cell, the cytokeratin networks undergo rapid phosphate exchanges mediated depolymerization, with important implications in the more dynamic cellular processes such as mitosis and post-mitotic period, cell movement and differentiation. Cytokeratins interact with desmosomes and hemidesmosomes, thus collaborating to cell-cell adhesion and basal cell-underlying connective tissue connection.

Note: This product is for in vitro research use only