Product Datasheet

ATF2(Phospho-Thr69 or 51) Antibody

Catalog No: #11030

Package Size: #11030-1 50ul #11030-2 100ul



Support: tech@signalwayantibody.com

| Decomplien | |
|--------------|--|
| Product Name | |
| | |
| | |


Description

| Product Name | ATF2(Phospho-Thr69 or 51) Antibody |
|-----------------------|--|
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Purification | Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. |
| | Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho |
| | specific antibodies were removed by chromatogramphy using non-phosphopeptide. |
| Applications | WB IHC IF |
| Species Reactivity | Hu Ms Rt |
| Specificity | The antibody detects endogenous level of ATF-2 only when phosphorylated at threonine 69 or 51. |
| Immunogen Type | Peptide-KLH |
| Immunogen Description | Peptide sequence around phosphorylation site of threonine 69 or 51 (D-Q-T(p)-P-T) derived from Human |
| | ATF2. |
| Conjugates | Unconjugated |
| Target Name | ATF2 |
| Modification | Phospho |
| Other Names | CREB2; CREBP1; |
| Accession No. | Swiss-Prot: P15336NCBI Protein: NP_001871.2 |
| Concentration | 1.0mg/ml |
| Formulation | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% |
| | sodium azide and 50% glycerol. |
| Storage | Store at -20°C for long term preservation (recommended). Store at 4°C for short term use. |


Application Details

Predicted MW: 65-75 kd Western blotting: 1:500 Immunohistochemistry: 1:50~1:100 Immunofluorescence: 1:100~1:200


Images



Western blot analysis of extracts from 3T3 cells untreated or treated with Anisomycin using ATF2(Phospho-Thr69 or 51) Antibody #11030.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using ATF2(Phospho-Thr69 or 51) Antibody #11030(left) or the same antibody preincubated with blocking peptide(right).



Immunofluorescence staining of methanol-fixed Hela cells using ATF2(Phospho-Thr69 or 51) Antibody #11030.

Background

Transcriptional activator, probably constitutive, which binds to the cAMP-responsive element (CRE) (consensus: 5'-GTGACGT[AC][AG]-3'), a sequence present in many viral and cellular promoters. Interaction with JUN redirects JUN to bind to CRES preferentially over the 12-O-tetradecanoylphorbol-13-acetate response elements (TRES) as part of an ATF2-c-Jun complex.

Sevilla A, et al. (2004) J Biol Chem. 279(26):27458-27465.

Alsayed Y, et al. (2001) J Biol Chem. 276(6): 4012-4019.

Abdel-Hafiz H A, et al. (1992) Mol Endocrinol. 6: 2079-2089.

Gupta S, et al. (1995) Science. 267: 389-393.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.