Product Datasheet

Histone H3 (Di-Methyl-Lys27) Antibody

Catalog No: #11583

Package Size: #11583-1 50ul #11583-2 100ul



Support: tech@signalwayantibody.com


Description	
Product Name	Histone H3 (Di-Methyl-Lys27) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates.
	Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho
	specific antibodies were removed by chromatogramphy using non-phosphopeptide.
Applications	WB IHC
Species Reactivity	Hu Ms Rt
Immunogen Type	Peptide-KLH
Immunogen Description	Peptide sequence around Di-Methylation site of lysine 27(A-R-K(di-methyl)-S-A) derived from Human Histone
	LIO.
	H3.
Conjugates	Unconjugated
Conjugates Target Name	
	Unconjugated
Target Name	Unconjugated Histone H3
Target Name Modification	Unconjugated Histone H3 Methyl
Target Name Modification Other Names	Unconjugated Histone H3 Methyl H3/a, H3/c, H3/d, H3/f, H3/h
Target Name Modification Other Names Accession No.	Unconjugated Histone H3 Methyl H3/a, H3/c, H3/d, H3/f, H3/h Swiss-Prot#:P68431 NCBI Gene#:8351 NCBI Protein#:NP_003521.2
Target Name Modification Other Names Accession No. SDS-PAGE MW	Unconjugated Histone H3 Methyl H3/a, H3/c, H3/d, H3/f, H3/h Swiss-Prot#:P68431 NCBI Gene#:8351 NCBI Protein#:NP_003521.2
Target Name Modification Other Names Accession No. SDS-PAGE MW Concentration	Unconjugated Histone H3 Methyl H3/a, H3/c, H3/d, H3/f, H3/h Swiss-Prot#:P68431 NCBI Gene#:8351 NCBI Protein#:NP_003521.2 17KD 1.0mg/ml

Application Details


Predicted MW: 17kd
Western Blot: 1:500~1:1000

Immunohistochemistry: 1:50~1:100

Images



Western blot analysis of extracts from C6 and Hela cells using Histone H3 (Di-Methyl-Lys27) Antibody #11583.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Histone H3 (Di-Methyl-Lys27) Antibody #11583.

Background

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.