

TLR7 Rabbit mAb

Catalog No: #49523

Package Size: #49523-1 50ul #49523-2 100ul

Description

Product Name	TLR7 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal
Clone No.	JA93-11
Purification	ProA affinity purified
Applications	WB
Species Reactivity	Hu
Immunogen Description	recombinant protein
Conjugates	Unconjugated
Other Names	PRO285 antibody TLR 7 antibody Tlr7 antibody TLR7_HUMAN antibody Toll like receptor 7 antibody Toll-like receptor 7 antibody UNQ248 antibody
Accession No.	Swiss-Prot#:Q9NRYK1
Calculated MW	140 kDa
Formulation	1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.
Storage	Store at -20°C

Application Details

WB: 1:500-1:1,000

Background

The Toll-like Receptors (TLR) are a family of human receptors that share homology with the Drosophila Toll Receptors, which are involved in mediating dorsoventral polarization in developing Drosophila embryos and participate in host immunity. The TLR family members are characterized by a highly conserved Toll homology (TH) domain, which is essential for Toll-induced signal transductions. TLRs are type I transmembrane receptors that contain an extracellular domain consisting of several leucine-rich regions and a single cytoplasmic Toll/IL-1R like domain. Three TLR family members, TLR7, TLR8 and TLR9, belong to a subfamily of TLRs which are differentially expressed. TLR7 is expressed in lung, placenta and spleen. TLR8 is expressed in lung and peripheral blood leukocytes, and TLR9 is predominantly expressed in spleen, lymph nodes, bone marrow and peripheral blood leukocytes. TLR7, TLR8 and TLR9 stimulate the NFκB signaling pathway, suggesting that they play a role in the immune response.

References

Note: This product is for in vitro research use only and is not intended for use in humans or animals.