Lamin B2 Rabbit mAb

Catalog No: #59582

Package Size: #59582-1 50ul #59582-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


Description

Product Name	Lamin B2 Rabbit mAb
Host Species	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Purification	Affinity-chromatography
Applications	WB IHC ICC/IF
Species Reactivity	Human Mouse Rat
Specificity	Lamin B2 Antibody detects endogenous levels of total Lamin B2
Immunogen Description	A synthesized peptide derived from human Lamin B2
Other Names	LAMB2; LMN 2; LMN B2; LMN2; LMNB2;
Accession No.	Uniprot:Q03252
Calculated MW	Predicted band size: 70 kDa
SDS-PAGE MW	Observed band size: 68 kDa
Formulation	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

Application Details

WB: 1:500-1:2000 IHC: 1:50-1:200 ICC/IF: 1:50-1:200

Images



All lanes: Lamin B2 Rabbit mAb at 1/1k dilution

Lane 1 : JK whole cell lysates Lane 2 : 3T3 whole cell lysates


Lane 3 : C6 whole cell lysates Lysates/proteins at 20 µg per lane.

Secondary

All lanes: Goat Anti-Rabbit IgG H&L (HRP) at 1/20000 dilution

Predicted band size: 70 kDa Observed band size: 68 kDa

Exposure time: 6 seconds




All lanes:Lamin B2 Rabbit mAb at 1/1k dilution


Lane 1: Wild-type Hela cell lysate

Lane 2: Lamin B2 Rabbit mAb knockdown Hela cell lysate

Lysates/proteins at 20 µg per lane.



Formalin-fixed, paraffin-embedded human spleen tissue stained for Lamin B2 using 59582 at 1/100 dilution in immunohistochemical analysis.



Immunocytochemistry/ Immunofluorescence Lamin B2 antibody (59582) ICC/IF staining of Lamin B2 in Hela cells. Cells were fixed with 4% Paraformaldehyde permeabilized with 0.1% Triton X-100.

Samples were incubated with 59582 at a working dilution of 1/100. The secondary antibody was Alexa FluorB 488 goat anti rabbit, used at a dilution of 1/500.

Nuclei were counterstained with DAPI.

Background

Lamins are components of the nuclear lamina, a fibrous layer on the nucleoplasmic side of the inner nuclear membrane, which is thought to provide a framework for the nuclear envelope and may also interact with chromatin.

Note: This product is for in vitro research use only and is not intended for use in humans or animals.